



Gelato -T° | Gelato -T°

DATI TECNICI | TECHNICAL DATA

CE		UC = con motore a bordo UC = with on-board condensing unit						Gas R290		R290 230V/1/50Hz	
Modello Unit	Potenza assorbita Current consumption		Resa Cooling capacity		Classe climatica Climate class			Consumo Kwh/annuo Kwh/year consumption	Classe di temperatura Temperature class	Classe energetica Energy label	
	W	A	W/h -30°C	BTU/h -22°F	°C	°F	H.R.				
TONDA	1415	6.72	1559	5319	7	35°C	95°F	75%	6681	G1	

CE		UC = con motore a bordo UC = with on-board condensing unit						R452A 230V/1/50Hz		
Modello Unit	Potenza assorbita Current consumption		Resa Cooling capacity		Classe climatica Climate class			Consumo Kwh/annuo Kwh/year consumption	Classe di temperatura Temperature class	Classe energetica Energy label
	W	A	W/h -30°C	BTU/h -22°F	°C	°F	H.R.			
TONDA	1529	7.0	971	3315	7	35°C	95°F	75%		

CE		UC = con motore a bordo UC = with on-board condensing unit						R452A 400V/3+N/50Hz		
Modello Unit	Potenza assorbita Current consumption		Resa Cooling capacity		Classe climatica Climate class			Consumo Kwh/annuo Kwh/year consumption	Classe di temperatura Temperature class	Classe energetica Energy label
	W	A	W/h -30°C	BTU/h -22°F	°C	°F	H.R.			
TONDA	1467	4.16	1200	4097	7	35°C	95°F	75%		

CE		UCR <22 m = con motore remoto UCR <22 m = with remote condensing unit within 22 meters						R452A 400V/3+N/50Hz		
Modello Unit	Potenza assorbita Current consumption		Resa Cooling capacity		Classe climatica Climate class			Consumo Kwh/annuo Kwh/year consumption	Classe di temperatura Temperature class	Classe energetica Energy label
	W	A	W/h -30°C	BTU/h -22°F	°C	°F	H.R.			
TONDA	2029	6.85	1580	5394	7	35°C	95°F	75%		



Gelato/Pasticceria -T°/+T° | Gelato/Pasticceria -T°/+T°

DATI TECNICI | TECHNICAL DATA

UC = con motore a bordo UC = with on-board condensing unit		R290		230V/1/50Hz				
Modello Unit	Potenza assorbita Current consumption	Resa Cooling capacity	Classe climatica Climate class			Consumo Kwh/annuo Kwh/year consumption	Classe di temperatura Temperature class	Classe energetica Energy label
	W A	W/h -30°C BTU/h -22°F	°C °F	H.R.				
TONDA	1415 6.72	1559 5319	7 35°C 95°F	75%		6681	G1	

UC = con motore a bordo UC = with on-board condensing unit		R452A		230V/1/50Hz				
Modello Unit	Potenza assorbita Current consumption	Resa Cooling capacity	Classe climatica Climate class			Consumo Kwh/annuo Kwh/year consumption	Classe di temperatura Temperature class	Classe energetica Energy label
	W A	W/h -30°C BTU/h -22°F	°C °F	H.R.				
TONDA	1529 7.0	971 3315	7 35°C 95°F	75%				

UC = con motore a bordo UC = with on-board condensing unit		R452A		400V/3+N/50Hz				
Modello Unit	Potenza assorbita Current consumption	Resa Cooling capacity	Classe climatica Climate class			Consumo Kwh/annuo Kwh/year consumption	Classe di temperatura Temperature class	Classe energetica Energy label
	W A	W/h -30°C BTU/h -22°F	°C °F	H.R.				
TONDA	1467 4.16	1200 4097	7 35°C 95°F	75%				

UCR <22 m = con motore remoto UCR <22 m = with remote condensing unit within 22 meters		R452A		400V/3+N/50Hz				
Modello Unit	Potenza assorbita Current consumption	Resa Cooling capacity	Classe climatica Climate class			Consumo Kwh/annuo Kwh/year consumption	Classe di temperatura Temperature class	Classe energetica Energy label
	W A	W/h -30°C BTU/h -22°F	°C °F	H.R.				
TONDA	2029 6.85	1580 5394	7 35°C 95°F	75%				